

**હેમચંદ્રાચાર્ય ઉત્તર ગુજરાત યુનિવર્સિટી-પાટણ.**

**જાહેરાત નિવિદા ક્રમાંક : ૧૪/૨૦૨૬**

હેમચંદ્રાચાર્ય ઉત્તર ગુજરાત યુનિવર્સિટી, પાટણ ધ્વારા નીચે જણાવેલ વિગતે ભાવપત્રક (કવોટેશન) મંગાવવામાં આવે છે.

| અનુ.<br>નં. | કામનું નામ                                    | અંદાજીત રકમ<br>(રૂપિયામાં) | કામની<br>મુદત |
|-------------|-----------------------------------------------|----------------------------|---------------|
| ૧           | Toilet Repairing work at Guest House Building | ૨,૮૮,૩૮૦/-                 | ૨ માસ         |

૧) કોરા ભાવપત્રક ફોર્મ યુનિવર્સિટીની વેબસાઈટ [www.ngu.ac.in](http://www.ngu.ac.in) ઉપરથી ડાઉનલોડ કરી ડાઉનલોડ કરેલ ભાવપત્રક યુનિવર્સિટીની બાંધકામ શાખાને **તારીખ : ૨૧/૦૮/૨૦૨૬** સુધીમાં રજાના દિવસો સિવાય કચેરી સમય દરમિયાન ૧૧.૦૦ થી ૧૬.૦૦ કલાક સુધીમાં RPAD/Speed Post/રૂબરૂ થી યુનિવર્સિટીની બાંધકામ મળી જાય તે રીતે મોકલવાના રહેશે.

તા.: ૦૮/૦૮/૨૦૨૬

સ્થળ :- પાટણ

કા.કાર્યપાલક ઇજનેર

બાંધકામ



This document was created with the Win2PDF "Print to PDF" printer available at

<https://www.win2pdf.com>

This version of Win2PDF 11 is for evaluation and non-commercial use only.

Visit <https://www.win2pdf.com/trial/> for a 30 day trial license.

This page will not be added after purchasing Win2PDF.

Win2PDF Overview: <https://www.win2pdf.com/video/overview/>

Purchase Win2PDF: <https://www.win2pdf.com/purchase/>

# હેમચંદ્રાચાર્ય ઉત્તર ગુજરાત યુનિવર્સિટી, પાટણ

## Toilet Repairing work at Guest House Buildingની કામગીરીના ભાવપત્રકની સામાન્ય શરતો

૧. Toilet Repairing work at Guest House Buildingની કામગીરીમાટે યુનિવર્સિટી ની પેનલ પર ની એજન્સીઓ પાસેથી નિયત નમૂનામાં ભાવપત્રક મંગાવવામાં આવે છે.
૨. ભાવપત્રક ભરનાર ઇજારદારે ભાવપત્રકમાં ભાવ ટકાવારી એટલે કે % Above / Below માં ભરવાના રહેશે.
૩. કોઈપણ ટેન્ડર સંપૂર્ણ અથવા અંશતઃ સ્વીકારવાનો અથવા અસ્વીકાર કરવાનો યુનિવર્સિટીને અબાધિતઅધિકાર રહેશે.
૪. શરતી અને છેકછાકવાળું ભાવપત્રક કોઈપણ સંજોગોમાં માન્ય રહેશે નહિ.
૫. ભાવપત્રકમાં ભરેલ ભાવો ભાવપત્રક ખુલ્યા તારીખથી ૮૦ દિવસ સુધી માન્ય રહેશે.
૬. જે પાર્ટીનું ભાવપત્રક મંજૂર થશે તેણે ઓર્ડર મળ્યેથી દિન-૬૦ માં કામગીરી પૂર્ણ કરવાની રહેશે. તેમ ન થવાથી પ્રતિદિન રૂ. ૧૦૦/- લેખે દંડ યુનિવર્સિટી ધ્વારા વસૂલ કરવામાં આવશે.
૭. ભાવપત્રક રજૂ કર્યા પછી કોઈપણ જાતના સુધારા-વધારા કરવા દેવામાં આવશે નહિ, તેમજ તે અંગેની રજૂઆત ગ્રાહ્ય રહેશે નહિ કે ભાવપત્રક પરત ખેંચી શકશે નહિ.
૮. નિયત તારીખ કરતાં મોડા આવેલ ભાવપત્રક કોઈપણ સંજોગોમાં સ્વીકારવામાં આવશે નહિ તેમજ અપૂર્ણ અને અધૂરું ભાવપત્રકધ્યાને લેવામાં આવશે નહિ.
૯. જે એજન્સીધ્વારા Eligibility Criteria માં દર્શાવેલ શરતો પરિપૂર્ણ કરતી હશે તેના જ ભાવપત્રકમાન્ય ગણવામાં આવશે. અન્યથા ભાવપત્રક માન્ય રાખવામાં આવશે નહિ.
૧૦. નિયત તારીખ કરતા મોડા આવેલ ભાવપત્રક કોઈપણ સંજોગોમાં સ્વીકારવામાં આવશે નહી.
૧૧. સરકારશ્રીના ધારાધોરણ મુજબ કરવેરાની કપાત કરવામાં આવશે.
૧૨. શરતોના અર્થઘટન કે વિવાદાસ્પદ પરિસ્થિતિમાં કુલપતિશ્રી, હેમચંદ્રાચાર્ય ઉત્તર ગુજરાત યુનિવર્સિટી, પાટણનો નિર્ણય ભાવપત્રક ભરનાર પાર્ટીને બંધનકર્તા રહેશે.
૧૩. ભાવપત્રકમાં જણાવેલ ચીજવસ્તુઓનો જથ્થો અંદાજીત છે. યુનિવર્સિટી તેની જરૂરિયાત પ્રમાણે તેમાં વધારો કે ઘટાડો કરી શકશે અથવા કોઈપણ આઈટમ ખરીદવી કે ન ખરીદવી તેનો નિર્ણય કરી શકશે જે ભાવપત્રક ભરનારને બંધનકર્તા રહેશે.
૧૪. ભાવપત્રકમાં દર્શાવેલ તમામ ચીજવસ્તુઓના નમૂના યુનિવર્સિટી પ્રતિનિધિ પાસે ચેક કરાવવાના રહેશે.
૧૫. પાર્ટી દ્વારા સંતોષકારક કામગીરી કરવામાં આવી હશે તો જ બીલનું ચૂકવણું દિન-૩૦માં ચેકથી કરવામાં આવશે.
૧૬. આ કામ અંગેનું ન્યાયક્ષેત્ર પાટણ રહેશે.
૧૭. Arbitration Clause :-

Any controversy or claim arising out of or relating to this contract, or the breach thereof shall be settled by arbitration under the Arbitration and Conciliation Act. The number of arbitrators shall be (one or three). The place of arbitration shall be Patan and university will have choice to appoint sole arbitrator and Indian law shall apply. Judgment on the award rendered by the arbitrator (S) may be entered in any court having jurisdiction thereof.

૧૮. ભાવપત્રક ભરનાર એજન્સીએ પ્રાઈઝબીડ અને ટેન્ડર ફોર્મ Eligibility Criteria માં દર્શાવ્યા મુજબના ડોક્યુમેન્ટસ સાથે સીલબંધ કવરમાં પેક કરી, કવર ઉપર " Toilet Repairing work at Guest House

Building ની કામગીરી"એમ લખવાનું રહેશે તેમજ દરેક ડોક્યુમેન્ટસ ઉપર એજન્સીના સહી સિક્કાફરજિયાત કરવાના રહેશે.

૧૯. ઈજારદાર દ્વારા ભાવપત્રકમાં જણાવેલ સ્પેશીફિકેશન મુજબ કામગીરી કરવાની રહેશે.

૨૦. ઈજારદારદ્વારાભાવોસરકારશ્રીનાનિયમમુજબનાકરવેરા(GST સિવાય)સાથેનાભરવાનારહેશે.

ઈજારદારદ્વારાભાવોસરકારશ્રીનાનિયમમુજબનાકરવેરા(GST) સિવાયનાભરવાનારહેશે. ભરેલભાવપરGST અલગથીઆપવામાંઆવશે.

૨૧. ઈજારદારશ્રીસદરકામગીરીRoad & Building Department નીSpecification મુજબકરવાનીરહેશે.

ઉપરોક્ત તમામ શરતો મેં વાંચી—સમજી છે અને તે મને/અમને બંધનકર્તા છે. ઉપરોક્ત ભરેલ ભાવોએ અને ભાવપત્રકની શરતોને આધીન હું / અમે કામ કરવા સંમત છીએ.

ભાવપત્રક ભરનારની સહી અને સિક્કો:

સ્થળ :

નામ :

તારીખ :

સરનામું : \_\_\_\_\_

\_\_\_\_\_

મોબાઇલનંબર : \_\_\_\_\_

ઇ-મેઇલઆઇ.ડી. \_\_\_\_\_



This document was created with the Win2PDF "Print to PDF" printer available at

<https://www.win2pdf.com>

This version of Win2PDF 11 is for evaluation and non-commercial use only.

Visit <https://www.win2pdf.com/trial/> for a 30 day trial license.

This page will not be added after purchasing Win2PDF.

Win2PDF Overview: <https://www.win2pdf.com/video/overview/>

Purchase Win2PDF: <https://www.win2pdf.com/purchase/>

# હેમચંદ્રાચાર્ય ઉત્તર ગુજરાત યુનિવર્સિટી, પાટણ

Toilet Repairing work at Guest House Building ની કામગીરી

## ELIGIBILITY CRITERIA

|   |                                                                                                                                             |
|---|---------------------------------------------------------------------------------------------------------------------------------------------|
| ૧ | ટેન્ડર ભરનાર ઈજારદારે સદર કામગીરીની અંદાજીત રકમના ૨૦ % પ્રમાણે કોઈપણ <b>Nationalized / Schedule Bank</b> ની બેંક સોલવન્સી રજૂ કરવાની રહેશે. |
| ૨ | <b>GST</b> નંબર                                                                                                                             |
| ૩ | ઈન્કમેટેક્સ નંબર                                                                                                                            |
| ૪ | છેલ્લા વર્ષના ઈન્કમેટેક્સ રીટર્ન ભર્યાના સર્ટિફિકેટ                                                                                         |
| ૫ | ભાવપત્રક ભરનાર ઈજારદાર PWD અથવા અન્ય સરકારી સંસ્થામાંથી E-2 Class and ઉપરના ક્લાસનું રજીસ્ટ્રેશન ધરાવતા હોવા જોઈએ.                          |
| ૬ | ભાવપત્રક ભરનાર ઈજારદાર દ્વારા યુનિવર્સિટી ની પેનલ પર માન્ય કોન્ટ્રાક્ટર નો વર્કઓર્ડર ની નકલ રજૂ કરવાની રહેશે                                |



This document was created with the Win2PDF "Print to PDF" printer available at

<https://www.win2pdf.com>

This version of Win2PDF 11 is for evaluation and non-commercial use only.

Visit <https://www.win2pdf.com/trial/> for a 30 day trial license.

This page will not be added after purchasing Win2PDF.

Win2PDF Overview: <https://www.win2pdf.com/video/overview/>

Purchase Win2PDF: <https://www.win2pdf.com/purchase/>

| HEMCHANDRACHARYA NORTH GUJARAT UNIVERSITY                      |                                                                                                                                                                                                                                                                                                                                                                                                                       |          |      |         |           |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|---------|-----------|
| ESTIMATE BOOK                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                       |          |      |         |           |
| Name of work :- Toilet repairing work at guest house building. |                                                                                                                                                                                                                                                                                                                                                                                                                       |          |      |         |           |
| Item no                                                        | Description                                                                                                                                                                                                                                                                                                                                                                                                           | Quantity | Unit | Rate    | Amount    |
| 1                                                              | Dismantling tiles of stone floors laid in mortar including stacking of serviceable materials and disposal of unserviceable material with all lead and lift.                                                                                                                                                                                                                                                           | 81.03    | Sqmt | 71.32   | 5779.06   |
| 2                                                              | Dismantling sanitary fittings like wash basin W.C pan indian and european type, flushing tank etc. including stacking the material with all lead and lift.                                                                                                                                                                                                                                                            | 6.00     | No   | 390.00  | 2340.00   |
| 3                                                              | Dismantling C.I pipes G.S.W pipes and A.C rain water pipe with fittings and clamps including stacking the material with all lead and lift ( for any dia , of pipe)                                                                                                                                                                                                                                                    | 77.70    | Rmt  | 72.00   | 5594.40   |
| 4                                                              | Removing and scraping of old deterior plaster of any thickness from wall / R.C.C member including stacking of serviceable material and disposal of unserviceable from site of work with all lead and lift.                                                                                                                                                                                                            | 15.70    | Sqmt | 28.88   | 453.42    |
| 5                                                              | Providing and laying cement concrete flooring 1:2:4 ( 1 - Cement : 2 - course sand : 4 - grade stone aggregate 20 mm nominal size ) laid in one layer and finished with a floating coat of net cement ( A ) 50 mm thick.                                                                                                                                                                                              | 40.60    | Sqmt | 492.38  | 19990.63  |
| 6                                                              | P & L 24"*24" vitrified 8 mm thick tile flooring over 20 mm (average) base of cement mortar 1:6 (1cement : 6 coarse sand ) on new surface or fixing on existing flooring by adhesive material including dismantling of existing flooring and jointed with color cement slurry including finishing with color cement slurry including finishing with flush pointing & celing the surface etc. complete for light shade | 81.03    | Sqmt | 1390.00 | 112631.70 |
| 7                                                              | Providing 10 mm thick cement plaster in single coat on brick/concrete walls for interior plastering at all floor level and finishing even and smooth in (ii) cement mortar 1:3 ( 1 - cement : 3 - sand )                                                                                                                                                                                                              | 58.70    | Sqmt | 175.00  | 10272.50  |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |       |      |          |          |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|----------|----------|
| 8  | Providing and laying Dura membrane of 3 mm thickness with 100 Kg/m <sup>3</sup> density minimum having tensile strength of 15 kg/cm <sup>2</sup> (M.D) and 15 kg/cm <sup>2</sup> (T.D) and tensile elongation of 140% ( M.D ) & 120% ( T.D ) and water vapour transmission rate should not exceed 0.05 g/m <sup>2</sup> mm of Hg hour Manufactured by the supreme industries LTD. continuity should be achieved by overlapping a minimum 2 inch (50 mm) and firmly sealing the joint with heavy duty hot ait gun and top finish with concrete screed as required and as directed by the engineer incharge. | 25.80 | Sqmt | 858.00   | 22136.40 |
| 9  | Providing and fixing to wall celing and floor 6.00 kg F/Cm <sup>2</sup> working pressure poluthene pipe of the following outside dia low density complete with special flange compression type fitting, wall clipset. including macking good the wall ceiling and floor (G) 110 MM                                                                                                                                                                                                                                                                                                                         | 27.00 | Rmt  | 469.97   | 12689.19 |
| 10 | Providing and fixing to wall celing and floor 6.0kg F/cm <sup>2</sup> working pressure poluthene pipe of the following outside dia low density complete with special falng compression type fitting, wall clipsetc. Including making good the wall celing and floor. ( F ) 75 mm 6 kg F/ cm <sup>2</sup>                                                                                                                                                                                                                                                                                                   | 16.50 | Rmt  | 388.44   | 6409.26  |
| 11 | Providing and fixing PVC SWR Nahni trap IS 14735 for drain - 100 mm dimeter with jail of the following nominnal dimeter of self cleansing design with C.I screwed down or hinged grating including the cost of cutting and making good the walls. As per architect instructions and drawing or as directed by engineer in chage..                                                                                                                                                                                                                                                                          | 6.00  | No   | 750.00   | 4500.00  |
| 12 | Providing and filling with good quality sinder ( steam coal ) as directed by engineer in charge in sunks in layers of 15 cm thk, including watering placing ramming well etc. as directed.                                                                                                                                                                                                                                                                                                                                                                                                                 | 6.05  | Cumt | 500.00   | 3025.00  |
| 13 | WC SET : providing and fixing (A)One-piece closet (Make- Asian Paints- Proton OP-59-S, S Trap - 225 mm, 370x675x725 (B) soft close heavy seat cover (Make- Asian Paints) (C) two way bib cock (Make- Asian Paints ALBC102 2-IN-1 WITH WF) (D) Angle cock (Make- Asian Paints -ALAC101 WITH WF) (E)health faucet with hook and pipe (Make- Asian Paints C232N PURA NXT) including cutting and making good the wall and floor complete to the satisfaction of EIC making leakage proof connection complete.                                                                                                  | 3.00  | No   | 15620.66 | 46861.98 |

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |       |     |          |           |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|----------|-----------|
| 14                                        | WASH BASIN SET: providing and fixing (A) counter top wash basin (Make- Asian Paints-Contemporary TT-23-X, size- 570x400x130 ) (B) 32mm CP brass bottle trap with 7"pipe (Make- Asian Paints-C231C-BT LITE SET) (C) Angle cock (Make- Asian Paints -ALAC101 WITH WF) (D) 3" waste coupling heavy full threaded (Make- Asian Paints- C230B) (E) pillar cock (Make- Asian Paints ALPC101) including cutting and making good the wall and granite top complete to the satisfaction of EIC making leakage proof connection complete.                          | 3.00  | No  | 10105.66 | 30316.98  |
| 15                                        | Providing and laying and jointing in true line and level 15 mm dia. U.P.V.C pipe (SCH - 40 ) for cold water and level 15 mm dia. U.P.V.C pipe (SCH - 40 ) for cold water including fitting make prince / supreme / Astral / Finolex or equivalent as approved by engineer in charge. pipe shall be fixed on the wall with the help of clamps at every two meter C/C or shall be cancelled as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials. | 3.30  | Rmt | 100.70   | 332.31    |
| 16                                        | Providing and laying and jointing in true line and level 25 mm dia. U.P.V.C pipe (SCH - 40 ) for cold water and level 15 mm dia. U.P.V.C pipe (SCH - 40 ) for cold water including fitting make prince / supreme / Astral / Finolex or equivalent as approved by engineer in charge. pipe shall be fixed on the wall with the help of clamps at every two meter C/C or shall be cancelled as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials. | 16.50 | Rmt | 127.30   | 2100.45   |
| 17                                        | Providing and laying and jointing in true line and level 40 mm dia. U.P.V.C pipe (SCH - 40 ) for cold water and level 15 mm dia. U.P.V.C pipe (SCH - 40 ) for cold water including fitting make prince / supreme / Astral / Finolex or equivalent as approved by engineer in charge. pipe shall be fixed on the wall with the help of clamps at every two meter C/C or shall be cancelled as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials. | 14.40 | Rmt | 205.31   | 2956.46   |
|                                           | Taxable Amount                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |       |     |          | 288389.74 |
|                                           | Say Rs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       |     |          | 288390.00 |
| GST Shall be paid Extra on Submitted Rate |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |       |     |          |           |

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

I/We am/are willing to carry out the work at .....% above/below percent (should be written in figure and words) at the estimated rates mentioned above amount of my/your tender works out as under

**Estimated Amount put to tender Rs. 288390.00**

**Deduction.....% below.....**

**Net Total Rs. ....**

**In words. ....**

**Estimated Amount put to tender Rs. 288390.00**

**Add.....% Above.....**

**Net Total Rs. ....**

**In words. ....**



This document was created with the Win2PDF "Print to PDF" printer available at

<https://www.win2pdf.com>

This version of Win2PDF 11 is for evaluation and non-commercial use only.

Visit <https://www.win2pdf.com/trial/> for a 30 day trial license.

This page will not be added after purchasing Win2PDF.

Win2PDF Overview: <https://www.win2pdf.com/video/overview/>

Purchase Win2PDF: <https://www.win2pdf.com/purchase/>